L	Hits	Search Text	DB	Time stamp
Number 1	2183	threshold same voltage same deviation	USPAT;	2004/09/18
			US-PGPUB;	19:03
			EPO; JPO;	
			DERWENT; IBM TDB	
2	110	compensat\$4 same luminance same	USPAT;	2004/09/18
		deviation	US-PGPUB; EPO; JPO;	19:07
			DERWENT;	
3	5	//hhmahalalaaaa 24	IBM_TDB	
3	5	(threshold same voltage same deviation) and (compensat\$4 same luminance same	USPAT; US-PGPUB;	2004/09/18
		deviation)	EPO; JPO;	
			DERWENT;	
4	24406	compensat\$4 same deviation	IBM_TDB USPAT;	2004/09/18
		•	US-PGPUB;	19:07
			EPO; JPO; DERWENT;	1
			IBM TDB	
5	289	(threshold same voltage same deviation)	USPAT;	2004/09/18
		and (compensat\$4 same deviation)	US-PGPUB; EPO; JPO;	19:07
			DERWENT;	
6	19	(/throshold came voltage came	IBM_TDB	2224/22/22
	15	((threshold same voltage same deviation) and (compensat\$4 same	USPAT; US-PGPUB;	2004/09/18
		deviation)) and (EL or electrolumin\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
7	0	20010019327.URPN.	USPAT	2004/09/18
8	0	20010010227 UDDY		19:20
"	U	20010019327.URPN.	USPAT	2004/09/18
9	100741	"12" and threshold with voltage	USPAT;	2004/09/18
			US-PGPUB;	19:24
			EPO; JPO; DERWENT;	
10	10	/gommon got CA gome luminum	IBM_TDB	
	10	(compensat\$4 same luminance same deviation) and threshold with voltage	USPAT; US-PGPUB;	2004/09/18
		,	EPO; JPO;	25.5.
			DERWENT;	
11	14	compensat\$4 with deviation same	IBM_TDB USPAT;	2004/09/18
		luminance same display	US-PGPUB;	19:36
		·	EPO; JPO; DERWENT;	
	_		IBM_TDB	
12	3	(compensat\$4 with deviation same luminance same display) and EL	USPAT;	2004/09/18
			US-PGPUB; EPO; JPO;	19:36
			DERWENT;	
13	3	(compensat\$4 with deviation same	IBM_TDB USPAT;	2004/09/18
		luminance same display) and (EL or OLED	US-PGPUB;	19:37
		or electrolumin\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
14	27531	deviat\$4 same compensat\$4	USPAT;	2004/09/18
			US-PGPUB; EPO; JPO;	19:38
			DERWENT;	
15	233	(deviat\$4 same compensat\$4) and	IBM_TDB	2004/00/20
	233	345/\$.ccls.	USPAT; US-PGPUB;	2004/09/18 19:38
			EPO; JPO;	
•			DERWENT;	
			IBM_TDB	

	0.2	T-7/1		1
16	83	((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
		345/\$.ccls.) and threshold	US-PGPUB;	19:38
			EPO; JPO;	1
			DERWENT;)
			IBM_TDB)
17	19		USPAT;	2004/09/18
		345/\$.ccls.) and threshold) and	US-PGPUB;	19:46
		(organic or electrolumines\$5)	EPO; JPO;	
			DERWENT;	
			IBM TDB]
18	0	((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
-7		345/\$.ccls.) and threshold) and	US-PGPUB;	19:46
		(organic or electrolumines\$5)) and	EPO; JPO;	19.40
		current same display]		
		current same dispray	DERWENT;	
19	11	///dominted name name	IBM_TDB	
19	*1	((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
		345/\$.ccls.) and threshold) and	US-PGPUB;	19:46
		(organic or electrolumines\$5)) and	EPO; JPO;	1
		current same display	DERWENT;]
			IBM_TDB	[
20	11	((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
		345/\$.ccls.) and threshold) and	US-PGPUB;	19:47
		(organic or electrolumines\$5)) and	EPO; JPO;	
		current same display) and compensat\$4	DERWENT;	1
	1	in the same of the	IBM TDB	1
21	11	((((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
		345/\$.ccls.) and threshold) and	US-PGPUB;	19:47
		(organic or electrolumines\$5)) and	•	12:41
Ī		(Organic of electionaliness)) and	EPO; JPO;	l
		current same display) and compensat\$4)	DERWENT;	ļ
22	11	and threshold same voltage	IBM_TDB	
22	11	((((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
		345/\$.ccls.) and threshold) and	US-PGPUB;	19:51
		(organic or electrolumines\$5)) and	EPO; JPO;	
		current same display) and compensat\$4)	DERWENT;	
		and threshold same voltage) and voltage	IBM TDB	1
23	2	(((((((deviat\$4 same compensat\$4) and	USPAT;	2004/09/18
	1	345/\$.ccls.) and threshold) and	US-PGPUB;	19:52
		(organic or electrolumines\$5)) and	EPO; JPO;	1 1 3 . 3 2
		current same display) and compensat\$4)	DERWENT;	(
	1	and threshold same voltage) and	1	(
		voltage) and compensat\$5 with luminance	IBM_TDB	
24	3342	compensat\$5 with luminance		0004/00/00
2 3	3342	compensaces with imminance	USPAT;	2004/09/18
			US-PGPUB;	19:53
			EPO; JPO;	
	1		DERWENT;	
1.5] .		IBM_TDB	
25	1295	(compensat\$5 with luminance) and	USPAT;	2004/09/18
		(deviat\$4 or chang\$4) same luminance	US-PGPUB;	19:54
			EPO; JPO;	
			DERWENT;	(
			IBM TDB	
26	514479	((compensat\$5 with luminance) and	USPAT;	2004/09/18
		(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	
		and (deviation or chang\$4) same luminance;	1	19:55
		threshold	EPO; JPO;	1
		CHIESHOIG	DERWENT;	
27	1	//	IBM_TDB	
2 /	175	((compensat\$5 with luminance) and	USPAT;	2004/09/18
		(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	19:56
		and (deviation or chang\$4) same	EPO; JPO;]
		threshold	DERWENT;]
			IBM TDB	
28	103	(((compensat\$5 with luminance) and	USPĀT;	2004/09/18
1		(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	19:58
		and (deviation or chang\$4) same	EPO; JPO;	
		threshold) and (switch\$4 or TFT)	DERWENT;	
		(DHE COLLY 1 OF TET)		
29	103	((((compensat\$5 with luminance) and	IBM_TDB	2004/00/20
	103	(deviated on charact) come in the control and	USPAT;	2004/09/18
		(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	19:58
		and (deviation or chang\$4) same	EPO; JPO;	
		threshold) and (switch\$4 or TFT)) and	DERWENT;	
	L	compensat\$4	IBM_TDB	<u> </u>

30	103	((((compensat\$5 with luminance) and	USPAT;	2004/09/18
ļ	ľ	(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	19:58
		and (deviation or chang\$4) same	EPO; JPO;	
		threshold) and (switch\$4 or TFT)) and	DERWENT;	i
		compensat\$4) and luminance	IBM TDB	
31	60			2004/20/20
31	80	(/ / / / / component whom have	USPAT;	2004/09/18
		(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	19:59
		and (deviation or chang\$4) same	EPO; JPO;	İ
		threshold) and (switch\$4 or TFT)) and	DERWENT;	
		compensat\$4) and luminance) and	IBM TDB	
		compensat\$4 same circuit\$4	_	
32	9	((((((compensat\$5 with luminance) and	USPAT;	2004/09/18
	_	(deviat\$4 or chang\$4) same luminance)	US-PGPUB;	20:23
		and (deviation or chang\$4) same		20.23
			EPO; JPO;	{
		threshold) and (switch\$4 or TFT)) and	DERWENT;	
		compensat\$4) and luminance) and	IBM_TDB	1
		compensat\$4 same circuit\$4) and (EL or		
		OLED or electrolumin\$4)		
33	60	deviation adj compensator	USPAT;	2004/09/18
			US-PGPUB;	20:23
			EPO; JPO;	20.23
			DERWENT;	1
34	-	I dani aki an add mama an a a	IBM_TDB	0004/55/55
34	1	(deviation adj compensator) and	USPAT;	2004/09/18
		electroluminescent	US-PGPUB;	20:24
			EPO; JPO;	1
			DERWENT;	1
			IBM TDB	
35	2	6384804.pn.	USPAT;	2004/09/18
	1 -		1	
	İ		US-PGPUB;	20:24
			EPO; JPO;	1
	i		DERWENT;	
	_		IBM_TDB	1
36	2	6384804.pn. and compensat\$4	USPAT;	2004/09/18
			US-PGPUB;	20:24
			EPO; JPO;	
			DERWENT;	[
			IBM TDB	1
37	1	(6384804.pn. and compensat\$4) and	_	2004/00/10
3,	_	deviat\$4	USPAT;	2004/09/18
		deviacaa	US-PGPUB;	20:31
		•	EPO; JPO;	1
			DERWENT;)
			IBM TDB	†
38	0	((6384804.pn. and compensat\$4) and	USPAT;	2004/09/18
		deviat\$4) and luminance	US-PGPUB;	20:31
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	(
39	0	((6384804.pn. and compensat\$4) and	_	3004/00/10
• •]		USPAT;	2004/09/18
		deviat\$4) and lumin\$9	US-PGPUB;	20:31
			EPO; JPO;	i
			DERWENT;	
			IBM TDB	
40	1	((6384804.pn. and compensat\$4) and	USPAT;	2004/09/18
		deviat\$4) and light	US-PGPUB;	20:31
		, , ,	EPO; JPO;	-3.52
	1		DERWENT;	
41	,	///6394904 mm	IBM_TDB	0004/55/55
71	1	((the second	USPAT;	2004/09/18
		deviat\$4) and light) and LED	US-PGPUB;	20:35
			EPO; JPO;	
			DERWENT;	1 I
			IBM TDB	[
42	1	((((6384804.pn. and compensat\$4) and	USPAT;	2004/09/18
*	•	deviat\$4) and light) and LED) and		
		circuit\$4	US-PGPUB;	20:44
]	CITCUITCA	EPO; JPO;	1
]		DERWENT;	1
	L		IBM_TDB	

US-PCPUBLE EDO; JPO; DERWENT; IBM, TOB USPAT; US-PCPUBLE EDO; JPO; DERWENT; IBM, TOB USPAT; US	43	1	compensat\$4 same capasitor	USPAT;	2004/09/18
1		_	ounpoint of a same oupus 2002	1	1
1					20.40
1				E .	{
1				1	1
45 32376		_		_	
## 18 ## 2004/09/18 EPO: JPO: DERWENT; IBM TDB USPAT; US-PCPUB; EPO: JPO: DERWENT; IBM TDB USPAT; US	44	1	compensat\$4 same capasitor		
Servent Servent				US-PGPUB;	20:46
18M TDB USPAT; USPAT; USPAT 2004/09/18 20:46 20:47 20:48 20:49				EPO; JPO;	
18M TDB USPAT; USPAT; USPAT 2004/09/18 20:46 20:47 20:48 20:49				DERWENT:	
45 32376 compensat\$4 same capacitor USPAT; USPAT 20:46 EPO; JPO; DERWENT; IBM TDB USPAT; USPAT 20:40/09/18 20:					
103-PCPUB; EPO; PPO; DERWENT; IMM TDB USPAT;	45	32376	compensat\$4 same canacitor	_	2004/09/19
According to the property of	10	323,0	compensator same capacitor	1	
Compensat\$4 same capacitor and organic Compensat\$4 same capacitor and organic and threshold and deviat\$5 Sepc, JPO; DERWENT; IBM TDB USPAT; COMPONSE CO					20:46
TIRM TIDE Compensat\$4 same capacitor and organic Compensat\$4 same capacitor and organic and threshold and deviat\$5 EPO; JPO; DEWENT; IBM TIDE Compensat\$6 and threshold and deviat\$5 EPO; JPO; DEWENT; IBM TIDE Compensat\$6 and threshold and deviat\$5 EPO; JPO; DEWENT; IBM TIDE Compensat\$6 and threshold and deviat\$5 EPO; JPO; DEWENT; IBM TIDE Compensat\$6 Compensat\$6 Compensat\$7 Compensat\$8 Compensat\$9 Com					
Compensat\$4 same capacitor and organic organic USPĀT; CO04/09/18 CO04/0					
1				IBM_TDB]
1	46	799	(compensat\$4 same capacitor) and	USPAT;	
1			organic	US-PGPUB;	20:48
Server S	•			EPO; JPO;	
184					
1					<u>[</u>
Organic and threshold US-PGPUB; EPO: JPO: DERWENT; IBM TDB USPAT; Compensats Assection DERWENT; IBM TDB USPAT; US-PGPUB; EPO: JPO: DERWENT; IBM	47	280	//components/ came cameditor) and	_	2004/00/10
A8	1 3 /	200			1 1
1			organic) and threshold	i ·	20:49
18					
1				DERWENT;	1
1				IBM TDB	j
organic) and threshold) and deviat\$5 near5 compensator 1	48	0	(((compensat\$4 same capacitor) and		2004/09/18
Near5 compensator				1	,
19				1	
TIM TDB					(
7 (((compensat\$4 same capacitor) and organic) and threshold) and deviat\$5 near5 compensat\$4 50 60 deviation adj compensator 50 60 deviation adj compensator 51 877 345/76.ccls. 52 7 345/76.ccls. and deviation near5 compensat\$4 53 148 345/76.ccls. and compensat\$4 54 46 (345/76.ccls. and compensat\$4) and threshold and voltage threshold and voltage or bright\$4) 56 41 (345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 58 838764 jp "61201315A 59 0 jp61-201315A 50 COMPONSATE AND CAPACH AND AND AND AND AND AND AND AND AND AND					ł i
Organic and threshold and deviat\$5 near5 compensat\$4 US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US	10	-	1,,,		1
near5 compensat\$4	49	/		1	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;				US-PGPUB;	20:51
Solid			near5 compensat\$4	EPO; JPO;	
Solid				DERWENT;	;
50 60 deviation adj compensator USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT 2004/09/18 20:58 54 46 (345/76.ccls. and compensat\$4) and threshold and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage and (luminance or bright\$4) jp61201315 57 0 jp61201315 USPĀT 2004/09/18 21:34 58 838764 jp "61201315" USPĀT 2004/09/18 21:34 59 0 jp61-201315A USPĀT 2004/09/18 21:34 60 0 jp61-201315A USPĀT 2004/09/18					1
S-PGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT	50	60	deviation adi compensator		2004/09/18
Second Process			deviation and compositions		
DERWENT; IBM TDB USPAT; USPAT					20.32
ST ST ST ST ST ST ST ST				1	{
ST		1		1	1
Second S				· —	ļ
52 7 345/76.ccls. and deviation near5 compensat\$4 USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT; IBM TDB USPAT 2004/09/18 20:58 54 46 (345/76.ccls. and compensat\$4) and threshold threshold and voltage and compensat\$4) and threshold) and voltage and (luminance or bright\$4) ip 61201315 USPAT 2004/09/18 21:34 58 838764 jp "61201315" USPAT 2004/09/18 21:34 59 0 jp61201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18 21:34 51 34 2004/09/18 21:34 52 2004/09/18 21:34 53 2004/09/18 21:34 54 2004/09/18 21:34 55 2004/09/18 21:34 56 2004/09/18 21:34 57 2004/09/18 21:34 58 2004/09/18 21:34 59 2004/09/18 21:34 59 2004/09/18 21:34 59 2004/09/18 21:34 50 2004/09/18 21:34 50 2004/09/18 21:34	21	877	345/76.ccls.	USPAT;	2004/09/18
52 7 345/76.ccls. and deviation near5 compensat\$4 USPAT; LBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; LBM TDB USPAT 2004/09/18 20:58 EPO; JPO; DERWENT; LBM TDB USPAT 2004/09/18 21:14 ((345/76.ccls. and compensat\$4) and threshold ((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) jp61201315 USPAT 2004/09/18 21:34 21:34 2004/09/18 21:34 21:34 2004/09/18 2004/09/18				US-PGPUB;	20:52
TBM_TDB Suspansive				EPO; JPO;	<u> </u>
TBM_TDB					1
52	1				{
Compensat\$4	52	7	345/76.ccls, and deviation nears	ı -	2004/09/19
EPO; JPO; DERWENT; IBM TDB USPAT; USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 2004/09/18 20:34 2004/09/18 21:34 2004/09/18 21:34 2004/09/18 20:34 2004/09/18 20:34 2004/09/18 20:34 2004/09/18 20:34 20:34 2004/09/18 20:34 20:3		· · · · · ·			
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 2004/09/18 20:58 46 (345/76.ccls. and compensat\$4) and threshold ((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage ((((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) jp61201315 8 838764 jp "61201315" USPAT 2004/09/18 21:34 59 0 jp61201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34			Compensacya		20:38
148 345/76.ccls. and compensat\$4 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 2004/09/18 20:58	1			1	į l
148 345/76.ccls. and compensat\$4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/09/18 21:14 54 46 (345/76.ccls. and compensat\$4) and threshold (345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage ((((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57 0 jp61201315 USPAT 2004/09/18 21:34 58 838764 jp "61201315" USPAT 2004/09/18 21:34 59 0 jp61201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 2004/09/18 threshold (345/76.ccls. and compensat\$4) and threshold (345/76.ccls. and compensat\$4) and threshold) and voltage ((345/76.ccls. and compensat\$4) and threshold) and voltage ((345/76.ccls. and compensat\$4) and threshold) and voltage (1:14 ((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) jp61201315 USPAT 2004/09/18 21:34 (SPAT 2004/09/18 21:34					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/09/18 21:14 ((345/76.ccls. and compensat\$4) and threshold (345/76.ccls. and compensat\$4) and threshold) and voltage ((345/76.ccls. and compensat\$4) and threshold) and voltage ((345/76.ccls. and compensat\$4) and threshold) and voltage (21:14 ((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) () jp61201315 USPAT 2004/09/18 21:34 (2004/09/18 (21:34 (20	53	148	345/76.ccls. and compensat\$4	USPAT;	2004/09/18
54 46 (345/76.ccls. and compensat\$4) and threshold (345/76.ccls. and compensat\$4) and threshold) and voltage (1:14 ((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) jp61201315 USPAT 2004/09/18 21:34 21:34 2004/09/18		1			
DERWENT; IBM_TDB USPAT 46 (345/76.ccls. and compensat\$4) and threshold ((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57 0 jp61201315 838764 jp "61201315" 59 0 jp61201315A USPAT 2004/09/18 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 21:34 2004/09/18					[
54 46 (345/76.ccls. and compensat\$4) and threshold 55 46 ((345/76.ccls. and compensat\$4) and threshold) and voltage 56 41 (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57 0 jp61201315 58 838764 jp "61201315" 59 0 jp61201315A 60 0 jp61-201315A USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18				ł	(
54 46 (345/76.ccls. and compensat\$4) and threshold USPAT 2004/09/18 21:14 55 46 ((345/76.ccls. and compensat\$4) and threshold) and voltage USPAT 2004/09/18 21:14 56 41 (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) USPAT 2004/09/18 21:33 57 0 jp61201315 USPAT 2004/09/18 21:34 58 838764 jp "61201315" USPAT 2004/09/18 21:34 59 0 jp61201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18					{
threshold ((345/76.ccls. and compensat\$4) and threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57	54	1 40	/345/76 2212 224 244		1 000 000 000
55 46 ((345/76.ccls. and compensat\$4) and threshold) and voltage 56 41 (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57 0 jp61201315 58 838764 jp "61201315" 59 0 jp61201315A COMPANDE OF THE PROPERTY OF THE PROPE	23	46	1 ,	USPAT	
threshold) and voltage (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57					
56 41 (((345/76.ccls. and compensat\$4) and threshold) and voltage) and (luminance or bright\$4) 57 0 jp61201315 838764 jp "61201315" 59 0 jp61201315A 60 0 jp61-201315A USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18	55	46		USPAT	2004/09/18
threshold) and voltage) and (luminance or bright\$4) 57	1				21:14
threshold) and voltage) and (luminance or bright\$4) 57	56	41	(((345/76.ccls. and compensat\$4) and	USPAT	2004/09/18
or bright\$4) jp61201315 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18				1	,
57 0 jp61201315 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 USPAT 2004/09/18					
58 838764 jp "61201315" USPAT 2004/09/18 21:34 59 0 jp61201315A USPAT 2004/09/18 21:34 60 0 jp61-201315A USPAT 2004/09/18	57	l n		IISDAT	2004/09/19
58 838764 jp "61201315" USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 2004/09/18 21:34 21:34 2004/09/18 21:34 2004/09/18	* '	1	12411111	OSFAI	1 ' '
59 0 jp61201315A USPAT 2004/09/18 21:34 USPAT 2004/09/18 21:34 2004/09/18	50	020764	in #61201215#		
59 0 jp61201315A USPAT 2004/09/18 21:34 USPAT 2004/09/18	1 30	038/64]be1501312	USPAT	
60 0 jp61-201315A USPAT 2004/09/18	50	_			
60 0 jp61-201315A USPAT 2004/09/18	59	0	jp61201315A	USPAT	2004/09/18
60 0 jp61-201315A USPAT 2004/09/18					
51	60	0	jp61-201315A	USPAT	
		[. ==	

61	0	jp61-201315	USPAT	2004/09/18
60				21:35
62	0	"61201315"	USPAT	2004/09/18
62		60 201215		21:42
63	0	60-201315	USPAT	2004/09/18
64		#C0201215#		21:42
04	0	"60201315"	USPAT	2004/09/18
		W.CO.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O		21:43
65	0	"60201315A"	USPAT	2004/09/18
				21:43
66	0	JP60201315A	USPAT	2004/09/18
				21:43
67	0	JP60-201315A	USPAT	2004/09/18
				21:43
68	0	JP60-201315A	USPAT	2004/09/18
	1			21:43
69	0	JP60201315A	USPAT	2004/09/18
				21:43